L Number	Hits	Search Text	DB	Time stamp
1	3239	(707/3).ccls.	USPAT;	2003/11/21 17:01
-		(,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	16	framework and search\$ and distribut\$ and	USPAT;	2003/11/21 16:58
-		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end") and ((707/3).ccls.)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
3	1370	(707/4).ccls.	USPAT;	2003/11/21 17:01
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	1	(framework and search\$ and distribut\$ and	USPAT;	2003/11/21 17:01
		network and resources and task and	US-PGPUB;	`
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end") and ((707/3).ccls.)) and	DERWENT;	
		((707/4).ccls.)	IBM_TDB	
-	2	("20020161750").PN.	USPAT;	2003/11/19 17:05
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("20020156865").PN.	USPAT;	2003/11/19 17:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("20020143949").PN.	USPAT;	2003/11/19 17:13
			US-PGPUB;	
	j .		EPO; JPO;	
			DERWENT;	
		/#00000140C01#\ TV	IBM_TDB	0003/11/10 17 14
_	2	("20020149601").PN.	USPAT;	2003/11/19 17:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	("20020147709").PN.	USPAT;	2003/11/19 19:57
	_	(20020147705).IN.	US-PGPUB;	2003/11/13 13.57
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	267	framework and search\$ and distribut\$ and	USPAT;	2003/11/21 16:57
		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")	DERWENT;	
			IBM TDB	
-	164	(framework and search\$ and distribut\$ and	USPĀT;	2003/11/20 15:58
		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
		stor\$4 and display	IBM_TDB	
-	99	((framework and search\$ and distribut\$ and	USPAT;	2003/11/19 17:34
		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
1		stor\$4 and display) and resources and	IBM_TDB	
		(search with engine)	HODAM	0000/11/10 17 01
-	98	(((framework and search\$ and distribut\$	USPAT;	2003/11/19 17:34
		and network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or "front end")) and (object with type) and	EPO; JPO; DERWENT;	
		stor\$4 and display) and resources and	IBM TDB	
		(search with engine)) and quer\$ and (xml	1254-106	
!		or html)		
L	L	1un. 1	L	I

-	53		USPAT;	2003/11/19 17:35
		and network and resources and task and	US-PGPUB;	
	1	(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
		stor\$4 and display) and resources and	IBM_TDB	
		(search with engine)) and quer\$ and (xml	ł	
		or html)) and (shar\$ with resources)		
-	53	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2003/11/19 17:36
	1	and network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
		stor\$4 and display) and resources and	IBM_TDB	
		(search with engine)) and quer\$ and (xml		
	1	or html)) and (shar\$ with resources)) and		
		(install\$ or adapt\$ or plugin)		0000/11/10 00:01
-	0	1 (((((((((((((((((((USPAT;	2003/11/19 20:01
		and network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
		stor\$4 and display) and resources and	IBM_TDB	
		(search with engine)) and quer\$ and (xml		
	1	or html)) and (shar\$ with resources)) and	1	
	1	(install\$ or adapt\$ or plugin)) and		
	_	@pd<20001211	HODAT	2002/11/10 17 20
-	8	[((()))]	USPAT;	2003/11/19 17:36
		and network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO;	
		"front end")) and (object with type) and	DERWENT;	
		stor\$4 and display) and resources and	IBM_TDB	
		(search with engine)) and quer\$ and (xml		
	450	or html)) and @pd<20001211	IICDAM.	2002/11/10 18:20
-	459		USPAT;	2003/11/19 18:20
		search\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	11	/	IBM_TDB	2002/11/10 10:20
_	11	,	USPAT;	2003/11/19 18:20
		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or	EPO; JPO; DERWENT;	
	}	"front end")) and ((quick with search\$)	1	
	16	and (advan\$4 with search\$))	IBM_TDB	2003/11/10 10:21
-	10	(search\$ near options) and (framework and search\$ and distribut\$ and network and	USPAT; US-PGPUB;	2003/11/19 18:21
		resources and task and (back-end or "back		
	1	end") and (front-end or "front end"))	EPO; JPO; DERWENT;	
1	1	cha / and (IIone-end of Ifone end))	IBM TDB	
_	129	(managing with resources with network).ti.	USPAT;	2003/11/19 18:38
	129		US-PGPUB;	2003/11/13 10:30
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	!
_	1	((managing with resources with	USPAT;	2003/11/19 18:37
1	1	network).ti.) and (framework and search\$	US-PGPUB;	2003/11/13 10:3/
		and distribut\$ and network and resources	EPO; JPO;	
		and task and (back-end or "back end") and	DERWENT;	
		(front-end or "front end"))	IBM TDB	
1_	1	framework and search\$ and ((managing with	USPAT;	2003/11/19 18:37
		resources with network).ti.) and network	US-PGPUB;	2003/11/13 10:3/
1		and resources and task and (back-end or	EPO; JPO;	
1		"back end") and (front-end or "front end")	DERWENT;	
1		back end / and (front-end of front end")	IBM TDB	
_	1	framework and search\$ and ((managing with	USPAT;	2003/11/19 18:38
1	, -	resources with network).ti.) and network	US-PGPUB;	2003/11/13 10:38
		and resources and (back-end or "back	EPO; JPO;	
1		end") and (front-end or "front end")	DERWENT;	
1		end , and (front-end of front end)	IBM TDB	
_	7	framework and search\$ and ((managing with	USPAT;	2003/11/19 18:38
1		resources with network).ti.) and network	US-PGPUB;	-003/11/13 10:30
1		and resources	EPO; JPO;	
1		4.14 100041000	DERWENT;	
1			IBM TDB	
L	L	I		

_	266	(managing with resources with network).clm.	USPAT; US-PGPUB;	2003/11/19 18:38
•			EPO; JPO;	
			DERWENT;	
	2	((managing with resources with	IBM_TDB USPAT;	2003/11/19 18:38
-	2	network).clm.) and (framework and search\$	US-PGPUB;	2003/11/19 10:36
		and distribut\$ and network and resources	EPO; JPO;	
		and task and (back-end or "back end") and	DERWENT;	
		(front-end or "front end"))	IBM_TDB	0000 /44 /40 00 01
_	25	framework and search\$ and ((managing with resources with network).clm.) and network	USPAT; US-PGPUB;	2003/11/19 20:01
		and resources	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	=====================================	USPAT;	2003/11/19 18:39
	•	resources with network).clm.) and network and resources and (back-end or "back	US-PGPUB; EPO; JPO;	·
		end") and (front-end or "front end")	DERWENT;	
	1		IBM_TDB	
-	1262	quer\$ with url	USPAT;	2003/11/19 20:00
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	1 (1)	USPAT;	2003/11/19 19:57
		search\$ and distribut\$ and network and resources and task and (back-end or "back	US-PGPUB; EPO; JPO;	
		end") and (front-end or "front end"))	DERWENT;	
		cha / ana (Front cha of Front cha //	IBM TDB	
_	11	, , , ,	USPAT;	2003/11/19 19:57
		search\$ and distribut\$ and network and	US-PGPUB;	
		resources and task and (back-end or "back end") and (front-end or "front end"))) and	EPO; JPO; DERWENT;	
		handler	IBM TDB	
_	85		USPAT;	2003/11/19 20:00
		handl\$3)	US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
-	25	framework and search\$ and ((quer\$ with	USPAT;	2003/11/19 20:01
		url) and (search\$ with handl\$3)) and	US-PGPUB;	
		network and resources	EPO; JPO; DERWENT;	
			IBM TDB	
-	1	(framework and search\$ and ((quer\$ with	USPAT;	2003/11/19 20:01
		url) and (search\$ with handl\$3)) and	US-PGPUB;	
		network and resources) and @pd<20001211	EPO; JPO; DERWENT;	
			IBM TDB	
-	6	(framework and search\$ and distribut\$ and	USPĀT;	2003/11/20 16:03
		network and resources and task and	US-PGPUB;	
		(back-end or "back end") and (front-end or "front end")) and (object with type) and	EPO; JPO; DERWENT;	
		stor\$4 and display and "search store"	IBM TDB	
-	0		USPAT;	2003/11/20 16:05
		network and resources and task and	US-PGPUB;	
		(search\$ near handle) and (object with	EPO; JPO;	
		type) and stor\$4 and display and "search store"	DERWENT; IBM TDB	
-	4		USPAT;	2003/11/20 16:06
		network and resources and task and	US-PGPUB;	
		(search\$ near handle) and (object with	EPO; JPO;	
		type) and stor\$4 and display and (search near store)	DERWENT; IBM TDB	
-	4		USPAT;	2003/11/20 16:06
		network and resources and task and	US-PGPUB;	
		(search\$ near handle) and (object with	EPO; JPO;	
		type) and stor\$4 and display and (search near store)	DERWENT;	
L	L	Hear Score!	IBM_TDB	

Γ=	1 6	(search\$ near handle) and (object with	USPAT;	2003/11/20 16:07
		type) and stor\$4 and display and (search	US-PGPUB;	
		near store)	EPO; JPO;	
İ		1.001 00010,	DERWENT;	
			IBM TDB	
l <u> </u>	29	(search\$ with handle) and stor\$4 and	USPAT;	2003/11/20 16:17
		display and (search near store)	US-PGPUB;	1000,11,10
		display and (scales near scale)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l <u> </u>	15	(search\$ with handle) and stor\$4 and	USPĀT;	2003/11/20 16:18
		display and (search\$ adj (respository or	US-PGPUB;	
		storage or store))	EPO; JPO;	
		0001030 01 00010//	DERWENT;	
			IBM TDB	
l _	5712	"search database"	USPĀT;	2003/11/20 16:18
	3712	Jearon database	US-PGPUB;	2000, 21, 20 20, 20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3	((search\$ with handle) and stor\$4 and	USPAT;	2003/11/20 16:25
		display and (search\$ adj (respository or	US-PGPUB;	
		storage or store))) and "search database"	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	119	quer\$ with information with storing with	USPAT;	2003/11/20 16:26
		search\$	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
-	7	(quer\$ with information with storing with	USPAT;	2003/11/20 17:09
		search\$) and (search with handle\$1)	US-PGPUB;	
		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	EPO; JPO;	
			DERWENT;	
			IBM TDB	Į .
_	27	framework and (define with query) and	USPAT;	2003/11/21 16:57
		(search with handle\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1